



**RACCORDI**  
**IN GHISA MALLEABILE**

**TSP**



**- IQNet -**

**RACCORDITALIA**



| RACCORDI IN GHISA MALLEABILE ZINCATI |                |     |                             |              |                  |         |
|--------------------------------------|----------------|-----|-----------------------------|--------------|------------------|---------|
| CODICE                               | MINIMO VENDITA | BOX | DESCRIZIONE                 | MISURE       | CODICE FORNITORE | €       |
| 0104112°                             | 80             | 160 | <b>1</b> - Curve 90° MF     | 1/2          | TSP0001/0004     | 2,357   |
| 0104113°                             | 40             | 80  |                             | 3/4          | TSP0001/0005     | 4,107   |
| 0104114°                             | 20             | 40  |                             | 1            | TSP0001/0006     | 5,553   |
| 0104115°                             | 14             | 28  |                             | 1 1/4        | TSP0001/0007     | 9,660   |
| 0104116°                             | 9              | 18  |                             | 1 1/2        | TSP0001/0008     | 12,803  |
| 0104128°                             | 10             | 10  |                             | 2            | TSP0001/0009     | 20,678  |
| 0104118                              | 6              | 6   |                             | 2 1/2        | TSP0001/0010     | 46,214  |
| 0104108                              | 3              | 3   |                             | 3            | TSP0001/0011     | 59,803  |
| 0104120                              | 2              | 2   |                             | 4            | TSP0001/0012     | 108,400 |
| 0104121                              | 120            | 240 | <b>2</b> - Curve 90° FF     | 3/8          | TSP0002/0003     | 2,624   |
| 0104122°                             | 70             | 140 |                             | 1/2          | TSP0002/0004     | 2,660   |
| 0104123°                             | 40             | 80  |                             | 3/4          | TSP0002/0005     | 4,124   |
| 0104124°                             | 20             | 40  |                             | 1            | TSP0002/0006     | 5,553   |
| 0104125°                             | 12             | 24  |                             | 1 1/4        | TSP0002/0007     | 9,714   |
| 0104126°                             | 9              | 18  |                             | 1 1/2        | TSP0002/0008     | 11,946  |
| 0104098°                             | 10             | 10  |                             | 2            | TSP0002/0009     | 16,607  |
| 0104119°                             | 4              | 4   |                             | 2 1/2        | TSP0002/0010     | 46,839  |
| 0104117                              | 3              | 3   |                             | 3            | TSP0002/0011     | 58,910  |
| 0104089                              | 2              | 2   | 4                           | TSP0002/0012 | 111,600          |         |
| 0104090°                             | 80             | 160 | <b>40</b> - Curve 45° MF    | 1/2          | TSP0040/0004     | 2,660   |
| 0104091°                             | 40             | 80  |                             | 3/4          | TSP0040/0005     | 3,571   |
| 0104092°                             | 30             | 60  |                             | 1            | TSP0040/0006     | 5,053   |
| 0104093°                             | 15             | 30  |                             | 1 1/4        | TSP0040/0007     | 8,839   |
| 0104094°                             | 12             | 24  |                             | 1 1/2        | TSP0040/0008     | 10,535  |
| 0104095°                             | 6              | 12  |                             | 2            | TSP0040/0009     | 16,714  |
| 0104107                              | 4              | 4   |                             | 2 1/2        | TSP0040/0010     | 37,160  |
| 0104097                              | 3              | 3   |                             | 3            | TSP0040/0011     | 40,535  |
| 0104088                              | 2              | 2   |                             | 4            | TSP0040/0012     | 91,517  |
| 0104099°                             | 80             | 160 | <b>41</b> - Curve 45° FF    | 1/2          | TSP0041/0004     | 3,142   |
| 0104100°                             | 40             | 80  |                             | 3/4          | TSP0041/0005     | 3,964   |
| 0104101°                             | 30             | 60  |                             | 1            | TSP0041/0006     | 5,124   |
| 0104102°                             | 15             | 30  |                             | 1 1/4        | TSP0041/0007     | 9,303   |
| 0104103°                             | 12             | 24  |                             | 1 1/2        | TSP0041/0008     | 12,249  |
| 0104104°                             | 6              | 12  |                             | 2            | TSP0041/0009     | 17,249  |
| 0104105                              | 4              | 4   |                             | 2 1/2        | TSP0041/0010     | 34,035  |
| 0104106                              | 3              | 3   |                             | 3            | TSP0041/0011     | 43,428  |
| 0104045                              | 2              | 2   |                             | 4            | TSP0041/0012     | 96,624  |
| 0213328                              | 100            | 400 | <b>90</b> - Gomiti a 90° FF | 1/4          | TSP0090/0002     | 1,392   |
| 0103987°                             | 80             | 320 |                             | 3/8          | TSP0090/0003     | 1,178   |
| 0103988°                             | 100            | 200 |                             | 1/2          | TSP0090/0004     | 0,803   |
| 0103989°                             | 60             | 120 |                             | 3/4          | TSP0090/0005     | 1,285   |
| 0103990°                             | 30             | 60  |                             | 1            | TSP0090/0006     | 1,946   |
| 0103991°                             | 20             | 40  |                             | 1 1/4        | TSP0090/0007     | 3,696   |
| 0103992°                             | 15             | 30  |                             | 1 1/2        | TSP0090/0008     | 6,035   |
| 0103993°                             | 8              | 16  |                             | 2            | TSP0090/0009     | 7,053   |
| 0104005°                             | 12             | 12  |                             | 2 1/2        | TSP0090/0010     | 20,803  |
| 0103995°                             | 8              | 8   |                             | 3            | TSP0090/0011     | 28,517  |
| 0103985°                             | 3              | 3   |                             | 4            | TSP0090/0012     | 51,160  |





## RACCORDI IN GHISA MALLEABILE ZINCATI

| CODICE   | MINIMO VENDITA | BOX | DESCRIZIONE  | MISURE  | CODICE FORNITORE | €            |
|----------|----------------|-----|--|---|------------------|--------------|
| 0103983° | 50             | 100 | <b>85</b> - Curve di sorpasso FF                           | 1/2   | TSP0085/0004     | 3,428        |
| 0104065° | 30             | 60  |  | 3/4   | TSP0085/0005     | 5,124        |
| 0103997  | 100            | 400 | <b>92</b> - Gomiti a 90° MF                                | 1/4   | TSP0092/0002     | 1,482        |
| 0103998° | 120            | 240 |  | 3/8   | TSP0092/0003     | 1,357        |
| 0103999° | 90             | 180 |  | 1/2   | TSP0092/0004     | 0,964        |
| 0104000° | 50             | 100 |  | 3/4   | TSP0092/0005     | 1,499        |
| 0104001° | 40             | 80  |  | 1   | TSP0092/0006     | 2,499        |
| 0104002° | 25             | 50  |  | 1 1/4   | TSP0092/0007     | 4,321        |
| 0104003° | 15             | 30  |  | 1 1/2   | TSP0092/0008     | 6,535        |
| 0103975° | 8              | 16  |  | 2   | TSP0092/0009     | 8,660        |
| 0103996° | 10             | 10  |  | 2 1/2   | TSP0092/0010     | 21,482       |
| 0103994° | 8              | 8   |  | 3   | TSP0092/0011     | 28,303       |
| 0103966° | 4              | 4   | 4  | TSP0092/0012  | 48,285           |              |
| 0103967  | 40             | 80  | <b>96</b> - Gomiti a 90° FF, con bocchettone a sede conica | 1/2   | TSP0096/0004     | 5,732        |
| 0103968  | 30             | 60  |  | 3/4   | TSP0096/0005     | 6,660        |
| 0103969  | 20             | 40  |  | 1   | TSP0096/0006     | 9,571        |
| 0103970  | 12             | 24  |  | 1 1/4   | TSP0096/0007     | 15,964       |
| 0103971  | 8              | 16  |  | 1 1/2   | TSP0096/0008     | 19,053       |
| 0103972  | 4              | 8   |  | 2   | TSP0096/0009     | 32,124       |
| 0103984  | 4              | 4   |  | 2 1/2   | TSP0096/0010     | 68,982       |
| 0388520  | 4              | 4   |  | 3   | TSP0096/0011     | 88,678       |
| 0388521  | 2              | 2   |  | 4   | TSP0096/0012     | 179,500      |
| 0103974  | 40             | 80  |  | <b>97</b> - Gomiti a 90° MF, con bocchettone a sede piana | 1/2              | TSP0097/0004 |
| 0103965  | 30             | 60  | 3/4  |   | TSP0097/0005     | 6,999        |
| 0103976  | 15             | 30  | 1  |   | TSP0097/0006     | 8,910        |
| 0103977  | 12             | 24  | 1 1/4  |   | TSP0097/0007     | 15,624       |
| 0103978  | 8              | 16  | 1 1/2  |   | TSP0097/0008     | 20,714       |
| 0103979  | 4              | 8   | 2  |   | TSP0097/0009     | 30,214       |
| 0103980° | 40             | 80  | <b>98</b> - Gomiti a 90° MF, con bocchettone a sede conica | 1/2   | TSP0098/0004     | 5,767        |
| 0103981° | 25             | 50  |  | 3/4   | TSP0098/0005     | 7,321        |
| 0103982° | 15             | 30  |  | 1   | TSP0098/0006     | 10,053       |
| 0104014° | 12             | 24  |  | 1 1/4   | TSP0098/0007     | 16,874       |
| 0103973° | 16             | 16  |  | 1 1/2   | TSP0098/0008     | 20,678       |
| 0104004° | 4              | 8   |  | 2   | TSP0098/0009     | 34,232       |
| 0104027  | 4              | 4   |  | 2 1/2   | TSP0098/0010     | 76,107       |
| 0388522  | 4              | 4   |  | 3   | TSP0098/0011     | 101,100      |
| 0388523  | 2              | 2   |  | 4   | TSP0098/0012     | 194,800      |
| 0104028  | 100            | 200 |  | <b>120</b> - Gomiti a 45° FF                              | 1/2              | TSP0120/0004 |
| 0104029  | 60             | 120 | 3/4  |   | TSP0120/0005     | 3,446        |
| 0104030  | 30             | 60  | 1  |   | TSP0120/0006     | 5,053        |
| 0213329  | 20             | 40  | 1 1/4  |   | TSP0120/0007     | 9,178        |
| 0213330  | 15             | 30  | 1 1/2  |   | TSP0120/0008     | 11,249       |
| 0213331  | 12             | 24  | 2  |   | TSP0120/0009     | 14,678       |
| 0104031  | 110            | 220 | <b>121</b> - Gomiti a 45° MF                               | 1/2   | TSP0121/0004     | 2,517        |
| 0104032  | 60             | 120 |  | 3/4   | TSP0121/0005     | 3,214        |
| 0104033  | 40             | 80  |  | 1   | TSP0121/0006     | 5,053        |



| RACCORDI IN GHISA MALLEABILE ZINCATI |                |     |                                     |                          |                  |              |
|--------------------------------------|----------------|-----|-------------------------------------|--------------------------|------------------|--------------|
| CODICE                               | MINIMO VENDITA | BOX | DESCRIZIONE                         | MISURE                   | CODICE FORNITORE | €            |
| 0104034                              | 80             | 320 | <b>130</b> - Ti a 90° FF            | 1/4                      | TSP0130/0002     | 1,964        |
| 0104046°                             | 50             | 200 |                                     | 3/8                      | TSP0130/0003     | 1,660        |
| 0104036°                             | 60             | 120 |                                     | 1/2                      | TSP0130/0004     | 1,142        |
| 0104026°                             | 40             | 80  |                                     | 3/4                      | TSP0130/0005     | 1,946        |
| 0104038°                             | 20             | 40  |                                     | 1                        | TSP0130/0006     | 2,857        |
| 0104039°                             | 14             | 28  |                                     | 1 1/4                    | TSP0130/0007     | 5,035        |
| 0104040°                             | 12             | 24  |                                     | 1 1/2                    | TSP0130/0008     | 7,892        |
| 0104041°                             | 8              | 16  |                                     | 2                        | TSP0130/0009     | 11,107       |
| 0104042°                             | 8              | 8   |                                     | 2 1/2                    | TSP0130/0010     | 25,410       |
| 0104043°                             | 6              | 6   |                                     | 3                        | TSP0130/0011     | 33,946       |
| 0104044°                             | 2              | 2   |                                     | 4                        | TSP0130/0012     | 66,607       |
| 0104016                              | 40             | 160 |                                     | <b>180</b> - Croci a 90° | 3/8              | TSP0180/0003 |
| 0104037°                             | 40             | 80  | 1/2                                 |                          | TSP0180/0004     | 3,964        |
| 0104035°                             | 30             | 60  | 3/4                                 |                          | TSP0180/0005     | 5,999        |
| 0104007°                             | 20             | 40  | 1                                   |                          | TSP0180/0006     | 7,446        |
| 0104008°                             | 10             | 20  | 1 1/4                               |                          | TSP0180/0007     | 10,035       |
| 0104009°                             | 8              | 16  | 1 1/2                               |                          | TSP0180/0008     | 13,357       |
| 0104010°                             | 5              | 10  | 2                                   |                          | TSP0180/0009     | 19,999       |
| 0104011                              | 3              | 6   | 2 1/2                               |                          | TSP0180/0010     | 45,321       |
| 0104012                              | 2              | 4   | 3                                   |                          | TSP0180/0011     | 52,214       |
| 0104013                              | 1              | 2   | 4                                   |                          | TSP0180/0012     | 86,589       |
| 0213332°                             | 70             | 140 | <b>221</b> - Distribuzione a gomito | 1/2                      | TSP0221/0004     | 3,749        |
| 0213333°                             | 40             | 80  |                                     | 3/4                      | TSP0221/0005     | 5,999        |
| 0213334°                             | 20             | 40  |                                     | 1                        | TSP0221/0006     | 7,946        |
| 0213335°                             | 15             | 30  |                                     | 1 1/4                    | TSP0221/0007     | 14,160       |
| 0213336°                             | 12             | 24  |                                     | 1 1/2                    | TSP0221/0008     | 20,142       |
| 0213337°                             | 5              | 10  |                                     | 2                        | TSP0221/0009     | 30,821       |
| 0104292                              | 120            | 480 | <b>270</b> - Manicotti              | 1/4                      | TSP0270/0002     | 1,357        |
| 0104263°                             | 100            | 400 |                                     | 3/8                      | TSP0270/0003     | 1,160        |
| 0104261°                             | 120            | 240 |                                     | 1/2                      | TSP0270/0004     | 0,946        |
| 0104282°                             | 80             | 160 |                                     | 3/4                      | TSP0270/0005     | 1,285        |
| 0104254°                             | 50             | 100 |                                     | 1                        | TSP0270/0006     | 1,714        |
| 0104255°                             | 32             | 64  |                                     | 1 1/4                    | TSP0270/0007     | 2,714        |
| 0104256°                             | 18             | 36  |                                     | 1 1/2                    | TSP0270/0008     | 3,892        |
| 0104257°                             | 12             | 24  |                                     | 2                        | TSP0270/0009     | 5,803        |
| 0104258°                             | 8              | 16  |                                     | 2 1/2                    | TSP0270/0010     | 16,071       |
| 0104259°                             | 12             | 12  |                                     | 3                        | TSP0270/0011     | 19,285       |
| 0104260°                             | 3              | 6   |                                     | 4                        | TSP0270/0012     | 45,124       |
| 0104272                              | 150            | 600 |                                     | <b>280</b> - Nippli      | 1/4              | TSP0280/0002 |
| 0104262°                             | 100            | 400 | 3/8                                 |                          | TSP0280/0003     | 1,607        |
| 0104252°                             | 140            | 280 | 1/2                                 |                          | TSP0280/0004     | 0,892        |
| 0104264°                             | 90             | 180 | 3/4                                 |                          | TSP0280/0005     | 1,142        |
| 0104265°                             | 60             | 120 | 1                                   |                          | TSP0280/0006     | 1,660        |
| 0104266°                             | 40             | 80  | 1 1/4                               |                          | TSP0280/0007     | 2,714        |
| 0104267°                             | 25             | 50  | 1 1/2                               |                          | TSP0280/0008     | 3,107        |
| 0104268°                             | 18             | 36  | 2                                   |                          | TSP0280/0009     | 5,642        |
| 0104269°                             | 20             | 20  | 2 1/2                               |                          | TSP0280/0010     | 10,142       |
| 0104270°                             | 12             | 12  | 3                                   |                          | TSP0280/0011     | 12,249       |
| 0104209°                             | 3              | 6   | 4                                   |                          | TSP0280/0012     | 45,124       |



| RACCORDI IN GHISA MALLEABILE ZINCATI |                |     |  |  |                  |              |       |
|--------------------------------------|----------------|-----|--|--|------------------|--------------|-------|
| CODICE                               | MINIMO VENDITA | BOX | DESCRIZIONE                              | MISURE                                   | CODICE FORNITORE | €            |       |
| 0104274                              | 200            | 800 | <b>290</b> - Tappi maschio con bordo     | 1/4                                      | TSP0290/0002     | 0,821        |       |
| 0104219°                             | 300            | 600 |  | 3/8                                      | TSP0290/0003     | 0,678        |       |
| 0104150°                             | 180            | 360 |  | 1/2                                      | TSP0290/0004     | 0,678        |       |
| 0104151°                             | 100            | 200 |  | 3/4                                      | TSP0290/0005     | 0,910        |       |
| 0104152°                             | 60             | 120 |  | 1  | TSP0290/0006     | 1,035        |       |
| 0104153°                             | 40             | 80  |  | 1 1/4                                    | TSP0290/0007     | 1,874        |       |
| 0104154°                             | 35             | 70  |  | 1 1/2                                    | TSP0290/0008     | 2,267        |       |
| 0104155°                             | 20             | 40  |  | 2  | TSP0290/0009     | 4,107        |       |
| 0104156°                             | 16             | 32  |  | 2 1/2                                    | TSP0290/0010     | 8,964        |       |
| 0104157°                             | 32             | 32  |  | 3  | TSP0290/0011     | 11,589       |       |
| 0104169°                             | 6              | 12  | 4  | TSP0290/0012                             | 20,517           |              |       |
| 0104159°                             | 180            | 720 | <b>300</b> - Calotte esagonali           | 3/8                                      | TSP0300/0003     | 0,946        |       |
| 0104149°                             | 200            | 400 |  | 1/2                                      | TSP0300/0004     | 1,071        |       |
| 0104161°                             | 100            | 200 |  | 3/4                                      | TSP0300/0005     | 1,285        |       |
| 0104162°                             | 80             | 160 |  | 1  | TSP0300/0006     | 1,499        |       |
| 0104163°                             | 60             | 120 |  | 1 1/4                                    | TSP0300/0007     | 2,303        |       |
| 0104164°                             | 40             | 80  |  | 1 1/2                                    | TSP0300/0008     | 2,839        |       |
| 0104165°                             | 30             | 60  |  | 2  | TSP0300/0009     | 5,410        |       |
| 0104166°                             | 15             | 30  |  | 2 1/2                                    | TSP0300/0010     | 9,839        |       |
| 0104167°                             | 10             | 20  |  | 3  | TSP0300/0011     | 10,767       |       |
| 0104139°                             | 6              | 12  |  | 4  | TSP0300/0012     | 23,553       |       |
| 0104160                              | 300            | 600 | <b>310</b> - Controdadi                  | 1/2                                      | TSP0310/0004     | 0,803        |       |
| 0104158                              | 180            | 360 |  | 3/4                                      | TSP0310/0005     | 0,874        |       |
| 0104130                              | 120            | 240 |  | 1  | TSP0310/0006     | 1,232        |       |
| 0104131                              | 90             | 180 |  | 1 1/4                                    | TSP0310/0007     | 1,821        |       |
| 0104132                              | 70             | 140 |  | 1 1/2                                    | TSP0310/0008     | 2,017        |       |
| 0104133                              | 40             | 80  |  | 2  | TSP0310/0009     | 4,107        |       |
| 0104134                              | 20             | 40  |  | 2 1/2                                    | TSP0310/0010     | 9,232        |       |
| 0104135                              | 20             | 40  |  | 3  | TSP0310/0011     | 10,857       |       |
| 0104136°                             | 50             | 100 |  | <b>330</b> - Bocchettoni FF a sede piana | 1/2              | TSP0330/0004 | 3,428 |
| 0104148°                             | 30             | 60  |  |  | 3/4              | TSP0330/0005 | 4,035 |
| 0104138°                             | 20             | 40  | 1  |  | TSP0330/0006     | 4,589        |       |
| 0104129°                             | 15             | 30  | 1 1/4                                    |  | TSP0330/0007     | 7,892        |       |
| 0104140°                             | 10             | 20  | 1 1/2                                    |  | TSP0330/0008     | 10,178       |       |
| 0104141°                             | 6              | 12  | 2  |  | TSP0330/0009     | 16,928       |       |
| 0104142                              | 4              | 8   | 2 1/2                                    |  | TSP0330/0010     | 38,821       |       |
| 0104143                              | 4              | 8   | 3  |  | TSP0330/0011     | 57,071       |       |
| 0104144                              | 2              | 4   | 4  |  | TSP0330/0012     | 133,700      |       |
| 0104145°                             | 40             | 100 | <b>331</b> - Bocchettoni MF a sede piana |  | 1/2              | TSP0331/0004 | 4,053 |
| 0104146°                             | 30             | 60  |  | 3/4                                      | TSP0331/0005     | 4,553        |       |
| 0104178°                             | 20             | 40  |  | 1  | TSP0331/0006     | 5,464        |       |
| 0104137°                             | 15             | 30  |  | 1 1/4                                    | TSP0331/0007     | 9,892        |       |
| 0104168°                             | 10             | 20  |  | 1 1/2                                    | TSP0331/0008     | 11,982       |       |
| 0104191°                             | 6              | 12  |  | 2  | TSP0331/0009     | 18,732       |       |
| 0104192°                             | 8              | 8   |  | 2 1/2                                    | TSP0331/0010     | 43,624       |       |
| 0104193°                             | 8              | 8   |  | 3  | TSP0331/0011     | 63,803       |       |





| RACCORDI IN GHISA MALLEABILE ZINCATI |                |     |   |                                   |                  |              |       |
|--------------------------------------|----------------|-----|---|-----------------------------------|------------------|--------------|-------|
| CODICE                               | MINIMO VENDITA | BOX | DESCRIZIONE                               | MISURE                            | CODICE FORNITORE | €            |       |
| 0213349                              | 60             | 240 | <b>340</b> - Bocchettoni FF a sede conica | 1/4                               | TSP0340/0002     | 6,196        |       |
| 0104194                              | 35             | 140 |   | 3/8                               | TSP0340/0003     | 5,571        |       |
| 0104195°                             | 40             | 80  |   | 1/2                               | TSP0340/0004     | 4,321        |       |
| 0104196°                             | 30             | 60  |   | 3/4                               | TSP0340/0005     | 4,910        |       |
| 0104197°                             | 20             | 40  |   | 1                                 | TSP0340/0006     | 5,696        |       |
| 0104198°                             | 15             | 30  |   | 1 1/4                             | TSP0340/0007     | 9,696        |       |
| 0104210°                             | 10             | 20  |   | 1 1/2                             | TSP0340/0008     | 11,339       |       |
| 0104200°                             | 6              | 12  |   | 2                                 | TSP0340/0009     | 18,642       |       |
| 0104190°                             | 4              | 8   |   | 2 1/2                             | TSP0340/0010     | 41,160       |       |
| 0104202°                             | 4              | 8   |   | 3                                 | TSP0340/0011     | 57,392       |       |
| 0104203°                             | 2              | 4   | 4   | TSP0340/0012                      | 116,000          |              |       |
| 0213350                              | 60             | 240 | <b>341</b> - Bocchettoni MF a sede conica | 1/4                               | TSP0341/0002     | 6,446        |       |
| 0213351                              | 40             | 160 |   | 3/8                               | TSP0341/0003     | 4,999        |       |
| 0104204°                             | 40             | 80  |   | 1/2                               | TSP0341/0004     | 4,249        |       |
| 0104205°                             | 30             | 60  |   | 3/4                               | TSP0341/0005     | 5,107        |       |
| 0104206°                             | 20             | 40  |   | 1                                 | TSP0341/0006     | 6,321        |       |
| 0104207°                             | 15             | 30  |   | 1 1/4                             | TSP0341/0007     | 10,089       |       |
| 0103986°                             | 10             | 20  |   | 1 1/2                             | TSP0341/0008     | 12,857       |       |
| 0104068°                             | 6              | 12  |   | 2                                 | TSP0341/0009     | 20,535       |       |
| 0104069°                             | 6              | 6   |   | 2 1/2                             | TSP0341/0010     | 44,946       |       |
| 0104070°                             | 6              | 6   |   | 3                                 | TSP0341/0011     | 70,160       |       |
| 0104071°                             | 2              | 2   | 4   | TSP0341/0012                      | 128,700          |              |       |
| 0213352                              | 120            | 480 | <b>529</b> - Manicotti MF                 | 3/8                               | TSP0529/0003     | 1,678        |       |
| 0104072°                             | 140            | 280 |   | 1/2                               | TSP0529/0004     | 1,767        |       |
| 0104073°                             | 80             | 160 |   | 3/4                               | TSP0529/0005     | 2,678        |       |
| 0104074°                             | 50             | 100 |   | 1                                 | TSP0529/0006     | 3,964        |       |
| 0104075°                             | 30             | 60  |   | 1 1/4                             | TSP0529/0007     | 5,124        |       |
| 0104087°                             | 20             | 40  |   | 1 1/2                             | TSP0529/0008     | 7,446        |       |
| 0104077°                             | 15             | 30  | 2   | TSP0529/0009                      | 12,464           |              |       |
| 0104067°                             | 150            | 300 | <b>531</b> - Nippli semplici              | 1/2                               | TSP0531/0004     | 1,178        |       |
| 0104079°                             | 100            | 200 |   | 3/4                               | TSP0531/0005     | 1,714        |       |
| 0104080°                             | 75             | 150 |   | 1                                 | TSP0531/0006     | 2,499        |       |
| 0104081°                             | 50             | 100 |   | 1 1/4                             | TSP0531/0007     | 5,982        |       |
| 0104082°                             | 25             | 50  |   | 1 1/2                             | TSP0531/0008     | 6,285        |       |
| 0104083                              | 35             | 35  |   | 2                                 | TSP0531/0009     | 11,142       |       |
| 0213353                              | 8              | 16  |   | 2 1/2                             | TSP0531/0010     | 15,446       |       |
| 0213354                              | 6              | 12  |   | 3                                 | TSP0531/0011     | 20,339       |       |
| 0104025°                             | 120            | 240 |   | <b>240</b> - Manicotti ridotti FF | 1/2 x 3/8        | TSP0240/002R | 1,410 |
| 0213338°                             | 90             | 180 |   |                                   | 3/4 x 3/8        | TSP0240/003R | 1,982 |
| 0104015°                             | 90             | 180 | 3/4 x 1/2                                 |                                   | TSP0240/004R     | 1,678        |       |
| 0213339                              | 60             | 120 | 1 x 3/8                                   |                                   | TSP0240/005R     | 2,785        |       |
| 0104006°                             | 60             | 120 | 1 x 1/2                                   |                                   | TSP0240/006R     | 2,107        |       |
| 0104017°                             | 50             | 100 | 1 x 3/4                                   |                                   | TSP0240/007R     | 1,946        |       |
| 0104018°                             | 40             | 80  | 1 1/4 x 1/2                               |                                   | TSP0240/009R     | 4,071        |       |
| 0104019°                             | 40             | 80  | 1 1/4 x 3/4                               |                                   | TSP0240/010R     | 3,571        |       |
| 0104020°                             | 30             | 60  | 1 1/4 x 1                                 |                                   | TSP0240/011R     | 3,464        |       |
| 0213340                              | 30             | 60  | 1 1/2 x 1/2                               |                                   | TSP0240/012R     | 6,303        |       |



## RACCORDI IN GHISA MALLEABILE ZINCATI

| CODICE   | MINIMO VENDITA | BOX | DESCRIZIONE                       | MISURE                    | CODICE FORNITORE | €            |
|----------|----------------|-----|-----------------------------------|---------------------------|------------------|--------------|
| 0213341° | 30             | 60  | <b>240 - Manicotti ridotti FF</b> | 1 1/2 x 3/4               | TSP0240/013R     | 5,553        |
| 0104021° | 25             | 50  |                                   | 1 1/2 x 1                 | TSP0240/014R     | 4,232        |
| 0104022° | 25             | 50  |                                   | 1 1/2 x 1 1/4             | TSP0240/015R     | 4,660        |
| 0213342  | 18             | 36  |                                   | 2 x 1/2                   | TSP0240/016R     | 8,767        |
| 0104023° | 18             | 36  |                                   | 2 x 1                     | TSP0240/018R     | 8,357        |
| 0104024° | 15             | 30  |                                   | 2 x 1 1/4                 | TSP0240/019R     | 8,124        |
| 0104147° | 15             | 30  |                                   | 2 x 1 1/2                 | TSP0240/020R     | 6,964        |
| 0104271° | 8              | 16  |                                   | 2 1/2 x 2                 | TSP0240/024R     | 18,999       |
| 0388524  | 6              | 12  |                                   | 3 x 1                     | TSP0240/025R     | 21,321       |
| 0388525  | 6              | 12  |                                   | 3 x 1 1/4                 | TSP0240/026R     | 21,321       |
| 0388526  | 6              | 12  |                                   | 3 x 1 1/2                 | TSP0240/027R     | 20,303       |
| 0104127° | 6              | 12  |                                   | 3 x 2                     | TSP0240/028R     | 29,964       |
| 0104233° | 6              | 12  |                                   | 3 x 2 1/2                 | TSP0240/029R     | 34,071       |
| 0388527  | 3              | 6   |                                   | 4 x 2                     | TSP0240/030R     | 51,374       |
| 0388528  | 3              | 6   |                                   | 4 x 2 1/2                 | TSP0240/031R     | 53,696       |
| 0213343  | 3              | 6   |                                   | 4 x 3                     | TSP0240/032R     | 55,624       |
| 0388529  | 200            | 800 |                                   | <b>241 - Riduzioni MF</b> | 3/8 x 1/4        | TSP0241/106R |
| 0104234  | 300            | 600 | 1/2 x 1/4                         |                           | TSP0241/001R     | 0,857        |
| 0104235° | 300            | 600 | 1/2 x 3/8                         |                           | TSP0241/002R     | 0,857        |
| 0104236° | 150            | 300 | 3/4 x 3/8                         |                           | TSP0241/003R     | 1,160        |
| 0104237° | 160            | 320 | 3/4 x 1/2                         |                           | TSP0241/004R     | 0,910        |
| 0213344  | 90             | 180 | 1 x 3/8                           |                           | TSP0241/005R     | 1,946        |
| 0104238° | 90             | 180 | 1 x 1/2                           |                           | TSP0241/006R     | 1,285        |
| 0104239° | 90             | 180 | 1 x 3/4                           |                           | TSP0241/007R     | 1,178        |
| 0213345  | 75             | 150 | 1 1/4 x 3/8                       |                           | TSP0241/008R     | 3,571        |
| 0104251° | 60             | 120 | 1 1/4 x 1/2                       |                           | TSP0241/009R     | 2,160        |
| 0104241° | 60             | 120 | 1 1/4 x 3/4                       |                           | TSP0241/010R     | 1,946        |
| 0104231° | 60             | 120 | 1 1/4 x 1                         |                           | TSP0241/011R     | 1,553        |
| 0213347  | 30             | 60  | 1 1/2 x 3/8                       |                           | TSP0241/139R     | 4,357        |
| 0104243° | 30             | 60  | 1 1/2 x 1/2                       |                           | TSP0241/012R     | 2,874        |
| 0104244° | 30             | 60  | 1 1/2 x 3/4                       |                           | TSP0241/013R     | 3,839        |
| 0104245° | 40             | 80  | 1 1/2 x 1                         |                           | TSP0241/014R     | 2,107        |
| 0104246° | 40             | 80  | 1 1/2 x 1 1/4                     |                           | TSP0241/015R     | 2,160        |
| 0104247° | 25             | 50  | 2 x 1/2                           |                           | TSP0241/016R     | 5,803        |
| 0104248° | 25             | 50  | 2 x 3/4                           |                           | TSP0241/017R     | 5,732        |
| 0104249° | 25             | 50  | 2 x 1                             |                           | TSP0241/018R     | 4,714        |
| 0104221° | 25             | 50  | 2 x 1 1/4                         |                           | TSP0241/019R     | 4,446        |
| 0104242° | 25             | 50  | 2 x 1 1/2                         |                           | TSP0241/020R     | 4,035        |
| 0104240° | 15             | 30  | 2 1/2 x 1                         |                           | TSP0241/021R     | 9,303        |
| 0104212° | 15             | 30  | 2 1/2 x 1 1/4                     |                           | TSP0241/022R     | 10,749       |
| 0104213° | 15             | 30  | 2 1/2 x 1 1/2                     |                           | TSP0241/023R     | 10,142       |
| 0104214° | 15             | 30  | 2 1/2 x 2                         |                           | TSP0241/024R     | 7,732        |
| 0104215° | 10             | 20  | 3 x 1                             |                           | TSP0241/025R     | 14,571       |
| 0104216° | 10             | 20  | 3 x 1 1/4                         |                           | TSP0241/026R     | 14,571       |
| 0104217° | 10             | 20  | 3 x 1 1/2                         |                           | TSP0241/027R     | 13,517       |
| 0104218° | 10             | 20  | 3 x 2                             |                           | TSP0241/028R     | 9,982        |
| 0104230° | 10             | 20  | 3 x 2 1/2                         |                           | TSP0241/029R     | 11,339       |
| 0213346  | 5              | 10  | 4 x 1 1/2                         |                           | TSP0241/114R     | 36,142       |
| 0104220° | 5              | 10  | 4 x 2                             |                           | TSP0241/030R     | 29,214       |
| 0104211° | 5              | 10  | 4 x 2 1/2                         | TSP0241/031R              | 21,714           |              |
| 0104222° | 5              | 10  | 4 x 3                             | TSP0241/032R              | 20,839           |              |



| RACCORDI IN GHISA MALLEABILE ZINCATI |                |     |   |                 |                  |        |
|--------------------------------------|----------------|-----|---|-----------------|------------------|--------|
| CODICE                               | MINIMO VENDITA | BOX | DESCRIZIONE                                 | MISURE          | CODICE FORNITORE | €      |
| 0104223°                             | 140            | 280 | <b>245</b> - Nippli ridotti MM              | 1/2 x 3/8       | TSP0245/002R     | 1,982  |
| 0104224°                             | 80             | 160 |   | 3/4 x 1/2       | TSP0245/004R     | 1,749  |
| 0104225°                             | 60             | 120 |   | 1 x 1/2         | TSP0245/006R     | 3,482  |
| 0104226°                             | 60             | 120 |   | 1 x 3/4         | TSP0245/007R     | 1,982  |
| 0213348°                             | 40             | 80  |   | 1 1/4 x 1/2     | TSP0245/009R     | 5,446  |
| 0104227°                             | 40             | 80  |   | 1 1/4 x 3/4     | TSP0245/010R     | 4,607  |
| 0104228°                             | 40             | 80  |   | 1 1/4 x 1       | TSP0245/011R     | 3,178  |
| 0104229°                             | 30             | 60  |   | 1 1/2 x 3/4     | TSP0245/013R     | 4,660  |
| 0104253°                             | 25             | 50  |   | 1 1/2 x 1       | TSP0245/014R     | 7,446  |
| 0104284°                             | 25             | 50  |   | 1 1/2 x 1 1/4   | TSP0245/015R     | 3,964  |
| 0104250°                             | 20             | 40  |   | 2 x 1           | TSP0245/018R     | 6,696  |
| 0104275°                             | 20             | 40  |   | 2 x 1 1/4       | TSP0245/019R     | 8,357  |
| 0104276°                             | 18             | 36  |   | 2 x 1 1/2       | TSP0245/020R     | 7,642  |
| 0388530                              | 10             | 20  |   | 2 1/2 x 1 1/2   | TSP0245/023R     | 10,928 |
| 0104277°                             | 15             | 30  |   | 2 1/2 x 2       | TSP0245/024R     | 18,339 |
| 0104278°                             | 6              | 12  |   | 3 x 2           | TSP0245/028R     | 22,642 |
| 0104279°                             | 6              | 12  |   | 3 x 2 1/2       | TSP0245/029R     | 29,696 |
| 0104280°                             | 150            | 300 | <b>246</b> - Manicotti ridotti MF           | 1/2 x 3/8       | TSP0246/002R     | 1,607  |
| 0104281°                             | 100            | 200 |   | 3/4 x 1/2       | TSP0246/004R     | 1,749  |
| 0104293°                             | 60             | 120 |   | 1 x 1/2         | TSP0246/006R     | 2,660  |
| 0104283°                             | 60             | 120 |   | 1 x 3/4         | TSP0246/007R     | 2,803  |
| 0104273°                             | 35             | 70  |   | 1 1/4 x 3/4     | TSP0246/010R     | 5,053  |
| 0104285°                             | 35             | 70  |   | 1 1/4 x 1       | TSP0246/011R     | 3,410  |
| 0388531                              | 25             | 50  |   | 1 1/2 x 3/4     | TSP0246/013R     | 5,767  |
| 0104286°                             | 25             | 50  |   | 1 1/2 x 1       | TSP0246/014R     | 5,999  |
| 0104287°                             | 25             | 50  |   | 1 1/2 x 1 1/4   | TSP0246/015R     | 5,249  |
| 0104288°                             | 20             | 40  |   | 2 x 1           | TSP0246/018R     | 10,107 |
| 0104289°                             | 20             | 40  |   | 2 x 1 1/4       | TSP0246/019R     | 8,517  |
| 0104290°                             | 20             | 40  | 2 x 1 1/2                                   | TSP0246/020R    | 9,892            |        |
| 0104291°                             | 30             | 30  | 2 1/2 x 2                                   | TSP0246/024R    | 14,678           |        |
| 0104084°                             | 120            | 240 | <b>90r</b> - Gomiti a 90° ridotti FF        | 1/2 x 3/8       | TSP090R/002R     | 1,553  |
| 0104085°                             | 80             | 160 |   | 3/4 x 1/2       | TSP090R/004R     | 1,767  |
| 0104057°                             | 50             | 100 |   | 1 x 1/2         | TSP090R/006R     | 2,499  |
| 0104078°                             | 50             | 100 |   | 1 x 3/4         | TSP090R/007R     | 2,678  |
| 0104076°                             | 40             | 80  |   | 1 1/4 x 1/2     | TSP090R/009R     | 4,553  |
| 0104048°                             | 30             | 60  |   | 1 1/4 x 3/4     | TSP090R/010R     | 5,553  |
| 0104049°                             | 20             | 40  |   | 1 1/4 x 1       | TSP090R/011R     | 4,428  |
| 0104050                              | 30             | 60  |   | 1 1/2 x 1/2     | TSP090R/012R     | 10,142 |
| 0104051°                             | 20             | 40  |   | 1 1/2 x 3/4     | TSP090R/013R     | 7,535  |
| 0104052°                             | 20             | 40  |   | 1 1/2 x 1       | TSP090R/014R     | 7,124  |
| 0104053°                             | 15             | 30  |   | 1 1/2 x 1 1/4   | TSP090R/015R     | 7,071  |
| 0104054°                             | 14             | 28  |   | 2 x 1           | TSP090R/018R     | 11,249 |
| 0104066°                             | 10             | 20  |   | 2 x 1 1/4       | TSP090R/019R     | 12,214 |
| 0104056°                             | 10             | 20  | 2 x 1 1/2                                   | TSP090R/020R    | 12,553           |        |
| 0104047°                             | 80             | 160 | <b>130r</b> - Ti a 90° ridotti o maggiorati | 1/2 x 3/8 x 1/2 | TSP130R/034R     | 2,428  |
| 0213355                              | 80             | 160 |   | 1/2 x 1/2 x 3/8 | TSP130R/035R     | 2,607  |
| 0104058°                             | 60             | 120 |   | 1/2 x 3/4 x 1/2 | TSP130R/036R     | 2,464  |
| 0104059°                             | 10             | 100 |   | 3/4 x 3/8 x 3/4 | TSP130R/038R     | 2,714  |
| 0104060°                             | 50             | 100 |   | 3/4 x 1/2 x 1/2 | TSP130R/039R     | 2,214  |
| 0104061°                             | 40             | 80  |   | 3/4 x 1/2 x 3/4 | TSP130R/040R     | 1,999  |
| 0104062°                             | 40             | 80  |   | 3/4 x 3/4 x 1/2 | TSP130R/042R     | 2,571  |
| 0104063°                             | 40             | 80  |   | 1 x 1/2 x 1/2   | TSP130R/045R     | 4,660  |





## RACCORDI IN GHISA MALLEABILE ZINCATI

| CODICE   | MINIMO VENDITA | BOX | DESCRIZIONE                          | MISURE                | CODICE FORNITORE | €      |
|----------|----------------|-----|--------------------------------------|-----------------------|------------------|--------|
| 0104064° | 40             | 80  | 130r - Ti a 90° ridotti o maggiorati | 1 x 1/2 x 3/4         | TSP130R/046R     | 3,303  |
| 0104096° | 30             | 60  |                                      | 1 x 1/2 x 1           | TSP130R/047R     | 2,714  |
| 0104055° | 40             | 80  |                                      | 1 x 3/4 x 1/2         | TSP130R/048R     | 4,232  |
| 0104086° | 30             | 60  |                                      | 1 x 3/4 x 3/4         | TSP130R/049R     | 3,392  |
| 0104109° | 24             | 48  |                                      | 1 x 3/4 x 1           | TSP130R/050R     | 2,910  |
| 0104110° | 30             | 60  |                                      | 1 x 1 x 1/2           | TSP130R/051R     | 3,553  |
| 0104111° | 30             | 60  |                                      | 1 x 1 x 3/4           | TSP130R/052R     | 3,892  |
| 0213356° | 20             | 40  |                                      | 1 x 1 1/4 x 1         | TSP130R/053R     | 7,178  |
| 0213357  | 15             | 30  |                                      | 1 x 1 1/2 x 1         | TSP130R/054R     | 8,464  |
| 0104208° | 20             | 40  |                                      | 1 1/4 x 1/2 x 1       | TSP130R/055R     | 5,249  |
| 0104180° | 20             | 40  |                                      | 1 1/4 x 1/2 x 1 1/4   | TSP130R/056R     | 4,535  |
| 0213358  | 20             | 40  |                                      | 1 1/4 x 3/4 x 3/4     | TSP130R/057R     | 6,821  |
| 0104201° | 20             | 40  |                                      | 1 1/4 x 3/4 x 1       | TSP130R/058R     | 6,160  |
| 0104199° | 20             | 40  |                                      | 1 1/4 x 3/4 x 1 1/4   | TSP130R/059R     | 4,767  |
| 0104171° | 20             | 40  |                                      | 1 1/4 x 1 x 1         | TSP130R/060R     | 6,589  |
| 0104172° | 20             | 40  |                                      | 1 1/4 x 1 x 1 1/4     | TSP130R/061R     | 5,339  |
| 0104173° | 20             | 40  |                                      | 1 1/4 x 1 1/4 x 1/2   | TSP130R/062R     | 7,642  |
| 0104174  | 20             | 40  |                                      | 1 1/4 x 1 1/4 x 3/4   | TSP130R/063R     | 8,928  |
| 0388532  | 12             | 24  |                                      | 1 1/4 x 1 1/2 x 1 1/4 | TSP130R/066R     | 10,571 |
| 0388536  | 8              | 16  |                                      | 1 1/4 x 2 x 1 1/4     | TSP130R/148R     | 12,696 |
| 0104175  | 15             | 30  |                                      | 1 1/4 x 1 1/4 x 1     | TSP130R/064R     | 7,517  |
| 0388537  | 18             | 36  |                                      | 1 1/2 x 3/8 x 1 1/2   | TSP130R/149R     | 9,089  |
| 0104176° | 18             | 36  |                                      | 1 1/2 x 1/2 x 1 1/2   | TSP130R/067R     | 6,071  |
| 0104232  | 12             | 24  |                                      | 1 1/2 x 3/4 x 1 1/4   | TSP130R/138R     | 9,321  |
| 0104177° | 15             | 30  |                                      | 1 1/2 x 3/4 x 1 1/2   | TSP130R/068R     | 6,589  |
| 0104189° | 15             | 30  |                                      | 1 1/2 x 1 x 1 1/2     | TSP130R/071R     | 7,142  |
| 0388535  | 15             | 30  |                                      | 1 1/2 x 1/2 x 1 1/4   | TSP130R/137R     | 6,999  |
| 0388533  | 15             | 30  |                                      | 1 1/2 x 1 x 1         | TSP130R/069R     | 8,142  |
| 0389164  | 12             | 24  |                                      | 1 1/2 x 1 x 1 1/4     | TSP130R070R      | 7,999  |
| 0213359  | 12             | 24  |                                      | 1 1/2 x 1 1/4 x 1 1/4 | TSP130R/072R     | 10,035 |
| 0104179° | 12             | 24  |                                      | 1 1/2 x 1 1/4 x 1 1/2 | TSP130R/073R     | 9,714  |
| 0104170  | 12             | 24  |                                      | 1 1/2 x 1 1/2 x 1/2   | TSP130R/074R     | 10,267 |
| 0104181  | 12             | 24  |                                      | 1 1/2 x 1 1/2 x 3/4   | TSP130R/075R     | 11,553 |
| 0104182° | 12             | 24  |                                      | 1 1/2 x 1 1/2 x 1     | TSP130R/076R     | 11,374 |
| 0388534  | 8              | 16  |                                      | 1 1/2 x 2 x 1 1/2     | TSP130R/078R     | 13,249 |
| 0213360  | 12             | 24  |                                      | 1 1/2 x 1 1/2 x 1 1/4 | TSP130R/077R     | 11,821 |
| 0104183° | 10             | 20  |                                      | 2 x 1/2 x 2           | TSP130R/079R     | 8,964  |
| 0104184° | 10             | 20  |                                      | 2 x 3/4 x 2           | TSP130R/081R     | 12,910 |
| 0104185° | 10             | 20  |                                      | 2 x 1 x 2             | TSP130R/082R     | 9,107  |
| 0213361  | 8              | 16  |                                      | 2 x 1 1/4 x 1 1/4     | TSP130R/083R     | 13,589 |
| 0104186° | 8              | 16  |                                      | 2 x 1 1/4 x 2         | TSP130R/084R     | 12,910 |
| 0104187° | 8              | 16  |                                      | 2 x 1 1/2 x 1 1/2     | TSP130R/085R     | 14,142 |
| 0104188° | 8              | 16  |                                      | 2 x 1 1/2 x 2         | TSP130R/086R     | 8,964  |
| 0213362  | 8              | 16  |                                      | 2 x 2 x 1 1/2         | TSP130R/089R     | 15,142 |
| 0213363° | 5              | 10  |                                      | 2 1/2 x 1 x 2 1/2     | TSP130R/090R     | 18,624 |
| 0213364° | 5              | 10  |                                      | 2 1/2 x 1 1/4 x 2 1/2 | TSP130R/091R     | 25,589 |
| 0213365° | 5              | 10  |                                      | 2 1/2 x 1 1/2 x 2 1/2 | TSP130R/092R     | 22,267 |
| 0213366° | 4              | 8   |                                      | 2 1/2 x 2 x 2 1/2     | TSP130R/094R     | 25,053 |
| 0213367  | 3              | 6   |                                      | 3 x 1 x 3             | TSP130R/095R     | 30,589 |
| 0213368  | 3              | 6   |                                      | 3 x 1 1/4 x 3         | TSP130R/096R     | 35,160 |
| 0213369  | 3              | 6   |                                      | 3 x 1 1/2 x 3         | TSP130R/097R     | 35,267 |
| 0213370° | 3              | 6   |                                      | 3 x 2 x 3             | TSP130R/098R     | 32,767 |
| 0213371  | 3              | 6   |                                      | 3 x 2 1/2 x 3         | TSP130R/099R     | 38,749 |
| 0213372° | 2              | 4   |                                      | 4 x 2 x 4             | TSP130R/101R     | 57,714 |